



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

1. IDENTIFICATION

Product Name: **bz[®] Isopropyl Alcohol Pre-Saturated Wipes**

Product Code(s): 18002, 18005

Product Description: bz[®] Isopropyl Alcohol (TT-I-735) Pre-Saturated Wipe

Manufacturer Name: M-Squared Innovations & Insights LLC
5 Saddlewood Court
Mansfield, TX 76063

Address: Mansfield, TX 76063

Website: www.msqrinnovations.com

General Phone Number: 855-501-2049

Emergency Phone Number: Chemtrec[®] US: 800-424-9300

SDS Creation/Revision Date: June 4, 2024

2. Hazard(s) Identification

GHS Pictograms:



Signal Word: **DANGER!**

GHS Class: Flammable Liquid, Category 2.
Eye Irritant, Category 2.
Specific Target Organ Toxicity, Single Exposure, Category 3.

Hazard Statements: Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary Statements: Keep away from heat/sparks/open flames – No smoking.
Take precautionary measures against static discharge.
In case of fire: Use dry chemical, carbon dioxide to extinguish small fires. Use water for large fires.
Wear protective gloves, protective clothing, and eye protection.
Avoid breathing vapors.
Store in a well-ventilated place. Keep container tightly closed.

IF IN EYES: Rinse cautiously with water for several minutes.
If eye irritation persists: Get medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Emergency Overview: DANGER! Extremely flammable. Irritant.

Route of Exposure: Eyes. Skin. Inhalation.

Potential Health Effects:

Eye: Eye contact with product or vapors may result in irritation, redness, and blurred vision. May cause pain disproportionate to the level of irritation to eye tissues. Vapor may cause eye irritation experienced as mild discomfort and redness. May cause moderate corneal injury.

Skin: May cause irritation. Repeated exposure may cause a burning sensation and dryness or cracking. Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Inhalation: Inhalation of vapors, fumes or mists of the product may be irritating to the respiratory system. Excessive exposure (400 ppm) may cause eye, nose and throat irritation. Higher levels may cause incoordination, confusion, hypotension, hypothermia, circulatory collapse, respiratory arrest, and death may follow a longer duration and higher levels. In confined or poorly ventilated areas, vapors can readily accumulate and can cause unconsciousness and death.

Ingestion: May cause irritation. Ingesting large amounts may cause injury. May cause central nervous system depression, nausea and vomiting. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.

Chronic Health Effects: Prolonged or repeated contact may cause skin irritation. Repeated or prolonged inhalation may cause toxic effects.

Signs/Symptoms: Overexposure may cause headaches and dizziness. Signs and symptoms of excessive exposure include facial flushing, low blood pressure, irregular heartbeats.

Target Organs: Eyes. Skin. Respiratory system. Digestive system.

Aggravation of Pre-Existing Conditions: None generally recognized.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>Ingredient Percentage</u>
Isopropyl alcohol	67-30-0	100% by volume

4. First-aid Measures

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion:	Call a physician or poison control center if you feel unwell.
Other First Aid:	N/A

5. Fire Fighting Measures

Flash Point:	20.5 °C (69 °F)
Auto Ignition Temperature:	399 °C (750 °F)
Lower Flammable/Explosive Limit:	2.0 % by volume
Upper Flammable/Explosive Limit:	12.0 % by volume
Fire Fighting Instructions:	Evacuate area of unprotected personnel. Do not use a solid water stream as it may scatter and spread fire. Vapors are heavier than air and may travel along the ground or may be moved by ventilation to locations distant from the point of material handling or release.
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material.
Protective Equipment:	In the event of a fire, wear Self-Contained Breathing Apparatus (SCBA), approved or in accordance to NFPA, NIOSH, and/or European Standard EN 137 guidelines or equivalent and full protective gear.

NFPA Ratings:

Health-1
Flammability-3
Reactivity-0

6. Accidental Release Measures

Personal Precautions:	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Avoid breathing vapor, aerosol or mist. Avoid contact with skin,
------------------------------	---



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

eyes and clothing.

Environmental Precautions:

Avoid runoff into storm sewers, ditches, and waterways. Comply with all government regulations on reporting releases.

Method of Containment:

Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Provide ventilation. Collect spill with a non-sparking tool. Place into a suitable container for disposal. Clean up spills immediately by observing precautions in the protective equipment section 8. After removal, flush spill area with soap and water to remove trace residue.

Methods for Cleanup:

Remove all sources of ignition. Collect the wipes with a non-sparking tool and absorb or wipe any residual liquids. Place in a suitable container for proper disposal. Use appropriate protective apparel as described in Section 8. Avoid contact with skin and eyes.

7. Handling and Storage

Handling:

Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Avoid breathing vapor and fumes. Use only in accordance with directions.

Storage:

Store in a cool, dry, well-ventilated area away from sources of heat, combustible materials, direct sunlight, and incompatible substances. Keep container tightly closed when not in use.

Keep away from aldehydes, halogenated organics, halogens, strong acids, strong oxidizers

Special Handling Procedures:

WARNING! Used wipes may catch fire if improperly discarded or stored near ignition sources.

Hazardous liquid or vapor residue may remain in emptied container. Do not reuse, heat, burn, pressurize, cut, weld, braze, solder, drill, grind, expose to sparks, flame, or ignition sources of empty containers without proper commercial cleaning or reconditioning.

Hygiene Practices:

Wash thoroughly after handling. Avoid inhaling vapors, mists, or fumes.

8. Exposure Controls/Personal Protection

Engineering Controls:

Use appropriate engineering controls such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Where such systems are not effective wear suitable personal protective equipment which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133.

Skin Protection: Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data.

Preferred glove materials include: polyethylene, neoprene, chlorinated polyethylene, natural rubber (latex), polyvinyl chloride (PVC or vinyl), nitrile/butadiene rubber (nitrile or NBR), ethyl vinyl alcohol laminate (EVAL). Avoid gloves made of polyvinyl alcohol (PVA).

Respiratory Protection: Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Comply with the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149

Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Other Protective: Facilities storing or utilizing this material should be equipped with an eyewash facility and a deluge safety shower.

Exposure Guidelines: Isopropyl Alcohol

Guideline ACGIH: TLV-TWA: 200 ppm

TLV-STEL: 400ppm

Guideline OSHA: OSHA-TWA: 400ppm

9. Physicals and Chemical Properties

Physical State

Appearance: Liquid Pre-saturated wipes

Color: Colorless

Odor: Alcohol-like

Boiling Point: 82-89 °C (180-192 °F)

Melting Point: Not Determined

Specific Gravity: 0.872 @20 °C (68°F)

Solubility: Soluble in water



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

Vapor Density:	Not Determined
Vapor Pressure:	32 mm Hg @20 °C (68 °F)
Percent Volatile:	100%
Evaporation Rate:	Not Determined
pH:	Not Determined
Viscosity:	Not Determined
Coefficient of Water/Oil:	Not Determined
Flash Point:	20.5 °C (69 °F)
Auto Ignition Temperature:	399 °C (750 °F)

10. Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures
Hazardous Polymerization:	Not reported.
Conditions to Avoid:	Keep away from heat, sparks, and open flame. Incompatible materials.
Incompatible Materials:	Aldehydes, halogenated organics, halogens, strong acids, strong oxidizers

11. Toxicological Information

Isopropyl Alcohol

Eye:	Eye - Rabbit Standard Draize test.: 100 mg Eye - Rabbit Standard Draize test.: 10 mg Eye - Rabbit Standard Draize test.: 100 mg/24H (RTECS)
Skin:	Administration onto the skin - Rabbit Standard Draize test.: 500 mg Administration onto the skin - Rabbit LD50: 12800 mg/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)
Inhalation:	Inhalation - Rat LC50: 16000 ppm/8H [Details of toxic effects not reported other than lethal dose value] Inhalation - Mouse LC50: 53000 mg/m ³ [Behavioral - General anesthetic Lungs, Thorax, or Respiration - Other changes] Inhalation - Rat LC50: 72600 mg/m ³ [Behavioral - General anesthetic Lungs, Thorax, or Respiration - Other changes] (RTECS)
Ingestion:	Oral - Rat LD50: 5045 mg/kg [Behavioral - Altered sleep time (including change in righting reflex) Behavioral - Somnolence (general depressed



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

activity]]
Oral - Mouse LD50: 3600 mg/kg [Behavioral - Altered sleep time (including change in righting reflex) Behavioral - Somnolence (general depressed activity)]
Oral - Mouse LD50: 3600 mg/kg [Behavioral - General anesthetic]
Oral - Rat LD50: 5000 mg/kg [Behavioral - General anesthetic] (RTECS)

12. Ecological Information

Ecotoxicity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

13. Disposal Considerations

Waste Disposal: Consult with the US EPA Guidelines listed in 40CFR Part 261.3 on waste for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state, local, or provincial waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

WARNING! Used wipes may catch fire if improperly discarded or stored near ignition sources.

Contaminated Packaging: Do not reuse containers without proper cleaning or reconditioning.

14. Transportation Information

DOT Shipping Name: Solids Containing Flammable Liquid, n.o.s. (Isopropanol). (Limited Quantity)

DOT UN Number: UN3175 (Limited Quantity)

DOT Hazard Class: 4.1

DOT Packaging Group: II

15. Regulatory Information

N/A

16. Other Information

The information contained in this Safety Data Sheet, as of the issue date, is believed to be true and correct. However, the accuracy or completeness of this information and any recommendations or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use of this product. The information in this sheet does not represent analytical specifications; for this information contact M-Squared Innovations & Insights.



SAFETY DATA SHEET

bz[®] Isopropyl Alcohol Pre-Saturated Wipes

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. All recommendations for the use of our products, whether given by us, orally or to be implied from data or lab tests results by us, are based on the current state of our knowledge at the time those recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendation, the user is responsible for ensuring that the product as supplied by us is suitable to the process or purpose he intends to use it. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of this product. Since we cannot control the application, use or processing of the product, we do not accept responsibility.